

A Personalized Guide From:



**YOUR PERSONALIZED
HIP ARTHRITIS
PHASE ASSESSMENT**

PHASE ASSESSMENT

YOU ARE HERE

PHASE: 4



Phase 1



get your hip
pain under
control

Phase 2



fix the muscle
imbalance

Phase 3



mobility &
strength

Phase 4



maintenance

PHASE 4:

MAINTENANCE

Phase 4: Maintenance

DAY PAIN	< 1 day over 4 weeks
NIGHT PAIN	< 1 day over 4 weeks
HIP STIFFNESS	<1 minute per day
TIME ON FEET	60+ minutes
GLUTES	Using glutes is a habit for everyday activities. You regularly exercise them.
What it's like today	
ACTIVITIES	I can do just about anything within reason without hip pain. I am confident my hip won't bother me as long as I move well and use my glutes.
X-RAY	Normal to Severe and anywhere in between. (Who cares what the x-ray looks like if I feel this great?!)
RE: SURGERY	No hip replacement needed, I feel 25 years younger!
I SAY THIS OUTLOUD	<i>"I never thought I could feel this great after being told I needed a hip replacement." "It's incredible how my hip healed so well after I focused on my glutes." "My back, knees, and feet have all improved since I've fixed all my muscle imbalances."</i>
JOINT FEELS LIKE	It makes noises but there is no pain. You rarely think about your hip joint anymore because it hasn't hurt in a long time.
MAIN CONCERNING THOUGHT	<i>"I need to keep using my glutes so I can enjoy my life to the fullest." "I need to take those trips now that I can sight see without my hip slowing me down." "I plan to dance the next chance I get!"</i>
HOW IT AFFECTS LIFE	Hip pain is rare and if it happens, you know why and what to do about it. You don't feel limited in anything in life. If there's something you can't do yet, you know how to get stronger so that you can do it eventually.
Bottom Line	You've cured hip arthritis! You're only limited by your strength and endurance. But you can improve that!

4 START HERE WATCH THIS FIRST



The methodology



The differences between phases



Problems to be aware of at each phase



How to move through each phase quickly and safely



This video explains the entire process covered in the **Hip Arthritis Recovery Program**.

**GOT IT?
LET'S SEE
YOUR CURRENT PHASE!**

4 YOUR PHASE

Phase 4 Overview



This video provides an overview of what goals & activities to focus on in Phase 4

Day Pain
< 1 day over 4 weeks

Night Pain
< 1 day over 4 weeks

Hip Stiffness
<1 minute per day

Time On Feet
60+ minutes

Using glutes is a habit for everyday activities. You regularly exercise them.



WHEN YOU'RE IN PHASE 4

This is the maintenance phase. You're feeling great because it's been a while since you've had symptoms (4 weeks or more) and you're not limited in anything you want to do. Maintaining your levels of strength and endurance are the keys to keeping your hip healthy for the rest of your life.

People in Phase 4 have absolutely no desire to have a hip replacement or visit the doctor for help. The only time they're talking to healthcare professionals regarding their hip is to see if there's anything missing in their plan to further optimize their hip health. Things like supplements, vitamins, and special exercise routines.

Exercise is a regular part of life. People here have realized that they feel the best in their hip when they're exercising at least 2 or 3 times a week. They'll do their weight training exercises on their "heavy" workout days, then do "light" exercises like going for a 20 to 30+ minute walk. Many get back to cycling, swimming, and hiking.

No time with family and friends is ever missed because of a bad hip day. Long road trips, international flights, and sightseeing on vacation are all on the table for you to partake in. You're free to go dance when the music gets good. Even sports like tennis, running, pickleball, golf, and more are just fine to do.

Your X-ray may still show there is osteoarthritis in your hip joint, but you don't need to worry about it if your hip is feeling well and you're staying active.

The big questions to consider here are:

Do you feel you've truly fixed the muscle imbalance?

Are you comfortable about what to do to maintain yourself here in Phase 4?

Is your exercise technique good enough to keep your hip healthy indefinitely?



4

THE BIG CHALLENGE:

MAINTAIN NEW HABITS



The biggest problem in Phase 4 is staying consistent with doing exercises that are productive rather than destructive for your hip health.

People often pick up new exercises that inadvertently begin to exercise quads more than glutes. This throws you back into a muscle imbalance and begins to irritate your hip joint.

You can solve this problem by figuring out how to get your glutes active during any exercise you choose to take on. It might be as simple as slowing down to focus on using your glutes, or adjusting your technique so you're more glute muscle dominant.

Some people figure out how to use their glutes easily, but some seek out our help to make sure they're doing the right things to stay healthy and avoid hip surgery.

The 2nd problem that creeps up is keeping a consistent workout routine. Not resuming weekly exercise after a holiday season, a vacation, or an illness are the most common situations that cause people to backslide.

It happens to everyone! You have a period of time when your routine changes, but you "forget" to put exercise in your schedule once life goes back to normal.

The ideal is that you don't miss a workout at all, but that's not always realistic. Especially if you're dealing with an illness. It's more important to take care of your illness and recover so you can safely get back to your workouts.

4

TREATMENTS TO FOCUS ON IN PHASE 4

You're free to do so much in Phase 4. Just follow the guidelines of consistently using your glutes and avoiding using your quads too much. Some people can do certain exercises and use their glutes well, while others cannot use their glutes well on the same exercise. You've got to find what consistently works for you. Some suggestions are:

1

Glute Strengthening Exercises

- Deadlifts & Squats - Use a kettlebell, dumbbell, or barbell with enough weight to challenge your glutes. Work your way up to doing 10 sets of 10 reps.
- Variations for deadlifts include deficit deadlifts, partial deadlifts, rackpull deadlifts, and single leg deadlifts.
- Variations for squats include back squats, front squats, side squats, partial squats, and mini squats.
- You can do more than what's mentioned here, just make sure you're fatiguing your glutes more than other muscles.

2

Abdominal Strengthening Exercises

- Sit ups for time - maintain good form, keep your heels touching the floor (don't pin your feet under anything), and flatten your back when you're in the down position. Work up to doing 100-200 reps.
- Weighted sit ups - same technique as above, but now holding onto a weight. Start with 5 pounds, and work your way up to 20+.

3

Calf Strengthening Exercises

- Single leg heel raises - find a place with a ledge for you to stand on so you can drop your heel down. Hold onto something for balance. Raise your heel as high as possible. Repeat for 10 reps and work your way up to doing 10 sets per leg.

4

Cardiovascular Exercise (always focus on using glutes)

- Walking / Jogging
- Elliptical
- Cycling
- Swimming
- Racquet sports
- Ball sports

WHAT SUCCESS LOOKS LIKE IN PHASE 4

You're able to do just about anything you want. You can enjoy your life and spend time with the people you love most. Go ahead and be active in pursuing your bucket list or seeing the world.

But you must remain vigilant about using your glutes everyday and especially when you exercise. If you're not doing this, then you're likely to get a hip flare up because you've got a history of hip arthritis and susceptibility to developing the muscle imbalance again.



To get here in phase 4, you have to had reached these symptom criteria:

- Day pain < 1 day in 4 weeks
- Night pain < 1 day in 4 weeks
- Swelling < 1 day in 4 weeks
- Tolerating being on your feet standing and Walking combined for +60 minutes
- Glutes work well just about all the time. It's a habit now.

Now your goal should be to put even more time between you and the last time you dealt with hip arthritis symptoms by maintaining a consistent exercise routine.

Can you go 2 months? 6 months? 2 years?

What about 10+ years?

THE BOTTOM LINE

PHASE 4 IS ABOUT BECOMING THE PERSON WHO REGULARLY EXERCISES THEIR GLUTES.

...AND YOU DON'T HAVE TO GO CRAZY AND LIFT HUNDREDS OF POUNDS OR WALK MARATHON DISTANCES. (but you can work up to that if you want to)

...YOU JUST HAVE TO FIGURE OUT THE RIGHT AMOUNT OF EXERCISE, WITH THE RIGHT WEIGHTS AND RIGHT LENGTH OF TIME AND INTENSITY TO DO CARDIO.

WHY IT'S CHALLENGING HERE

You've got to use your glutes everyday
Weightlifting can be difficult for some people
Cardio exercise might be time consuming
You have to become the person who doesn't negotiate themselves out of exercise.

YOU NEED TO GET BETTER BECAUSE

Your hip is the healthiest it's been in a long time
You can do so much...confidently
You know what to do to keep your hip healthy for the rest of your life.

REMEMBER

Staying in Phase 4 means you have to stay consistent with exercising your glutes. Because you were diagnosed with hip arthritis, that's proof that you have a tendency to overuse your quad muscles in your thigh when your glutes are not doing their job. Fatiguing glute muscles consistently will give you the best chance to never deal with hip arthritis problems for the rest of your life.

Maintaining everyday use of your glutes AND getting them tired when you exercise is a sure way to keep your muscles balanced.

New activities will come up, life situations will change, and your interests will evolve. It's your job to keep your glute strength up no matter what happens.

You'll also need to be that person who exercises all the time if you're not there already. People in your life might say things to you because you've changed your routine (and maybe you look more fit too).

It doesn't mean you need to become a fanatic who counts all their calories, logs every workout, invests in a new wardrobe, and now has a gym buddy...you can do this at home with some small weights and a walking route you like in your neighborhood.

Put on blinders when people tell you to focus on your quad and hip flexor muscles. That's what flared up your hip before.

Do 1 thing EVERYTIME you exercise - fatigue your glute muscles. Make it a point to do an exercise that tires out those glutes. At least get them to burn a little if you made them burn a lot the last time.

It might be a bodyweight exercise... an exercise that uses weights...or a cardio exercise...or a combination of these.

Tire. Your. Glutes. Every. Workout.

That's how you'll keep your hip healthy for the rest of your life.

READY FOR **EXPERT HELP** TO **HEAL HIP ARTHRITIS** AND **AVOID SURGERY?**



- **Get Live Coaching**
- **Option To Get Individual Coaching**
 - **Exclusive Community**
 - **Access The Full Curriculum**

CLICK TO JOIN THE PROGRAM

THIS IS THE PHASE YOU WILL BE IN IF YOU GET WORSE...

Phase 3: Mobility & Strength

DAY PAIN	< 1 day over 2 weeks
NIGHT PAIN	< 1 day over 2 weeks
HIP STIFFNESS	<15 minutes
TIME ON FEET	30-60 minutes
GLUTES	Achieved conscious control over glutes, but quads take over during harder activities.

	What it's like today	Next level to reach
ACTIVITIES	Most daily activities are no problem for hips. I can work around the ones that hurt. Hip pain comes on only when I push myself too much.	I can do just about anything within reason without hip pain. I am confident my hip won't bother me as long as I move well and use my glutes.
X-RAY	Normal to Severe and anywhere in between.	It will probably look the same.
RE: SURGERY	You'll likely need a hip replacement in 3-5 years	No hip replacement needed, I feel 25 years younger!
I SAY THIS OUTLOUD	<i>"I feel my hip if I walk more than 30-60 minutes." "I can exercise as long as I'm careful with my hip." "My hip isn't 100% but I guess this is what's it's like at my age now."</i>	<i>"I never thought I could feel this great after being told I needed a hip replacement." "It's incredible how my hip healed so well after I focused on my glutes."</i>
JOINT FEELS LIKE	Little to no stiffness in the hip. Can take on a busy day without feeling miserable for while after.	It makes noises or feels off at times but there is no pain.
MAIN CONCERNING THOUGHT	<i>"I hope I can keep my hip feeling like this so I can avoid hip surgery."</i>	<i>"I need to keep using my glutes so I can enjoy my life to the fullest."</i>
HOW IT AFFECTS LIFE	Hip pain comes and goes, but is never bad enough to need medications or doctor visits. There are definitely a handful of activities that are avoided because they will hurt. Balance is good.	Hip pain is rare and if it happens, you know why and what to do about it. You don't feel limited in anything in life. If there's something you can't do yet, you know how to get stronger so that you can do it eventually.

Bottom Line It's not a serious concern, but you know it's still there. Get better by gaining strength in the glutes.

3 YOUR PHASE

Phase 3 Overview



This video provides an overview of what goals & activities to focus on in **Phase 3**

**Day Pain < 1 day
over 2 weeks**

**Night Pain < 1
day over 2 weeks**

**Hip Stiffness
<15 minutes**

**Time On Feet
30-60 Minutes**

**Achieved
conscious control
over glutes, but
quads take over**



WHEN YOU'RE IN PHASE 3

In Phase 3, you're feeling good most of the time. The hip is only a problem 1 or 2 times a month, and you're able to do most things.

BUT, there's usually something in your life that brings on the hip pain. And it's not terrible pain most of the time...just a little nagging pain that lets you know your hip arthritis is still there.

Every few months the hip pain might become more severe but it goes away within a day or so. This is "manageable" hip arthritis as most people see it. Even healthcare professionals will tell you this is the best it's going to get given your age, old injuries, and family history of arthritis. "I'm just thankful my hip isn't hurting every week like before!" is the thought many people have when they're in Phase 3.

Doctors and physical therapists will congratulate you at this point and tell you they're done working with you. They'll "discharge" you from their care and leave you to fend for yourself assuming you've got it from here. In their book, you're a success story because the majority of their hip arthritis patients have hip pain every day and don't get better visit to visit. The only advice they'll offer you is to keep up a walking routine, take your vitamins/supplements, and manage your weight.

The reality is that you've still got a muscle imbalance to work on. It may have never even been addressed at all! Usually the glute muscles are severely weak at in Phase 3 and you need to figure out how to use your glutes well in every day activities starting with basic walking.

Once you can get the glutes to work better throughout the day, then you have a chance at getting them stronger. The stronger your glutes get, the better your hip will feel week to week. As you keep going with using your glutes well and strengthening them, the weeks lengthen past a month.

There's HUGE potential to get your hip the strongest and healthiest it's been in a long time...but you have to follow the plan we've developed for you in the Hip Arthritis Recovery Program.



3

THE BIG CHALLENGE:

MUSCLES BALANCED IN EVERYDAY ACTIVITIES



In Phase 3, you've got to make using your glutes, foot muscles, and abdominals a habit. Using these muscles in daily activities like walking, taking care of your home, running errands, and working is rarely (if ever) discussed while recovering from hip arthritis. And because patients aren't taught about this, they're set up for going back to suffering from a flared-up hip again sometime in the future.

Take walking as an example. Doctors and surgeons NEVER show you how to walk using the right muscles, it's not something they learned about in school. They focus on learning everything there is to know about medications, injections, and surgery. Physical therapists rarely ever show their patients HOW TO walk, they usually instruct them to walk on their treadmill and ask them to keep it up at home. They're used to working with people who have just had surgery, so getting back to being able to walk is their main goal.

You've likely not thought much about what muscles you use when walking so it will probably feel awkward to do it here in Phase 3. But going through that will set you up to make using your glutes, feet, and abs a normal, everyday way of moving. It needs to become your default way of moving.

If you do not make this shift in your life, then you'll fall back into using the thigh muscles (quads) too much and start to add too much compression to the hip joint. In other words, you'll feed the root problem that causes hip arthritis.

3

TREATMENTS TO FOCUS ON IN PHASE 3

Walking is just one of many activities to work on in Phase 3. In fact, we get people starting on “glute walking” in Phase 2. Now you’ve got to learn how to use your glutes in squatting and squatting with weights. We also like to have our clients begin to lengthen the amount of time they can walk while making their glute muscles more tired than their thigh muscles. The number of reps here varies depending on your ability. Choose the number of reps that fatigue the muscle you’re targeting.

1

Advanced Glute Muscle Exercises

- Standing Mini Squats - Drop only 1 to 2 inches from standing while tightening the glute muscles and holding it for 10 seconds.
- Weighted Mini Squats - Do the same squat as above but now hold a small weight. The weight has to be enough to challenge your glutes but still allow you to maintain the correct form.
- Weighted Bridges - Place a weight over your hips then hold for 10 seconds at a time while making sure to fatigue the glutes more than any other muscle.

2

Advanced Foot Muscle Exercises

- Heel raise holds - Hold onto something sturdy for balance. Press your toes down and raise your heels as high as you can. Hold it for 10 seconds making sure you focus on lifting your heel as high as possible.
- Overloaded heel raises - Stand somewhere you can hold onto something for balance. Lean your weight over to one leg. Flatten your toes, then raise your heel as high as possible to flex your calf muscle.

3

Cardio Exercises

- Walking - with emphasis to consciously flex the glute and foot muscles in the right timing.
- Elliptical - Only do this if you can use your glutes properly as you would while walking. Flex the glute and foot on the same side when pressing down on a pedal.
- Cycling - Only do this if you can make your glutes get more tired than your thigh muscles. Emphasize flexing your glute on the downstroke each time you pedal.

WHAT SUCCESS LOOKS LIKE IN PHASE 3

Work on treatments from Phase 3 until you improve enough to move into Phase 4 and begin the next treatments.

Your goal is to go from having these symptom criteria:

- Day Pain < 1 day in 2 weeks
- Night Pain < 1 day in 2 weeks
- Hip Stiffness < 15 minutes
- Time On Feet 30-60 Minutes
- Glutes flex...but quads take over when activities get hard

To having these symptom criteria:

- Day pain < 1 day in 4 weeks
- Night pain < 1 day in 4 weeks
- Hip Stiffness < 1 minute
- Tolerating being on your feet standing and walking combined for +60 minutes
- Glutes work well just about all the time. It's a habit now.

***You cannot move out of Phase 3 until ALL goals have been reached or surpassed.**

****Another way of saying this is, you cannot stop doing Phase 3 treatments until you no longer have any of the symptom criteria from Phase 3.**

*****Don't move onto Phase 4 unless you meet ALL the symptom criteria for Phase 4**

THE BOTTOM LINE

PHASE 3 IS FOCUSED ON STRENGTHENING KEY MUSCLES TO TAKE PRESSURE OFF THE HIP JOINT CONSISTENTLY THROUGHOUT THE DAY.

Stronger Glutes + Conscious Glute Control = HEALTHY HIP CARTILAGE

WHY IT'S CHALLENGING HERE

Everyone will tell you this is as good as your hip is ever going to be

Monthly hip flare-ups still happen

There's worry you'll eventually need surgery

YOU MUST GET BETTER BECAUSE

There's potential for you to feel even better

You don't want to say you have an "old hip"

You've got places to be, people to see, and your hip shouldn't keep you from that.

REMEMBER

The key to making out of Phase 3 is getting the 3 key muscle groups stronger by using them in everyday activities. Glutes, foot muscles, and lower abdominals. If you cannot figure out how to make these muscles work throughout the day, then you'll likely continue to have symptoms associated with Phase 3.

Another problem people face in Phase 3 is settling. Motivation declines because they've improved enough to feel a major difference in their hip. Especially if they were going through symptoms from Phase 1 because they were really bad at that time and now they're feeling great comparatively.

Healthcare professionals will end treatment and say you're fine at this point. But they don't know how to identify or treat muscle imbalances. And if you have them and have not focused on fixing them, then they're going to creep back up on you eventually.

What's the plan when hip arthritis flares up 1-2 months from now? Maybe you can do those PT exercises or pick up that stretching routine (or get another injection) and it will go away. But you can only do that so many times before it stops helping.

Your best solution is to fix the root of the problem so you don't have to live with it the rest of your life.

READY FOR **EXPERT HELP** TO **HEAL HIP ARTHRITIS AND** **AVOID SURGERY?**



- **Get Live Coaching**
- **Option To Get Individual Coaching**
 - **Exclusive Community**
 - **Access The Full Curriculum**

CLICK HERE TO JOIN THE PROGRAM